

Lyro by Tagra - 24V | 3000K | CRI 90 | 40mm | 2M

LY24-3K402M-90 / ITM000567

Datasheet

Lyro by Tagra - 24V | 3000K | CRI 90 | 40mm | 2M



Beam Angle	IP Rating	Mounting	Voltage In	Warranty
360°	IP20	Suspend	24V	3 Years

SKU: LY24-3K402M-90
ITM: ITM000567

Key Features:

- **Body Colour:** White
- **Product Length:** 2m
- **Dimensions (wh):** 40 x 40 mm

Mechanical Data			
Body Colour:	White	**LED Chip Type:**	SMD2854
Product Weight:	3g	**Product Height:**	40mm
Product Length:	2000mm	**Product Width:**	40mm

Electrical Data			
Constant Voltage / Constant Current:	CV	**Wattage:**	40W

Input Data			
Input Current:	0.77A	**Input Voltage:**	24V

Control Data			
Dimmable:	yes	**Dimming Type:**	Dimmable

Photometric Data

Beam Angle:	360°	**CCT:**	3000K
Colour Type:	Single Colour	**CRI:**	90
Lumen Total:	4140Lm	**Lumens Per Watt:**	111Lm/W
SDCM:	<3		

Environmental Data

Application Environment:	Indoor	**Body Material:**	Aluminium, PC
Ingress Protection (IP):	IP20	**Mounting Type:**	Suspended

Dimension Drawing



Packaging Data

Fixings Included:	yes

Disclaimer

Tagra Lighting have taken reasonable care to ensure that the information in this datasheet is accurate at time of publication however it should be noted that all specifications are subject to tolerance. Descriptive specifications such as colour are subjective. Tagra Lighting reserve the right to update specifications without notice. The information in the datasheet may only be relied on by customers of Tagra Lighting in accordance with applicable terms and conditions.

Tagra Lighting is a trading name of T.R Ventures Limited, a company incorporated in England with registered number 07757720. Our registered office is Unit 2, Southfield Industrial Estate, Trafford Park, M17 1SJ.

www.tagra-lighting.co.uk

