Tagra | Signage LED Strip Light | Side View | 120 LEDs p/m | 24V | IP20 | 9.6Wp/m | 3000K | 5M Reel

SG24-SV3K5M



Key Features

Up to 1148 Lumens Per Metre

IP20

8mm Width

7 Year Warranty

8.33mm Cut Points

Available in 6500K

Side-View

1 BIN Guarantee

Mechanical Data

Body Colour	White
Bend Direction	Vertical
Cable core count	2
Cable Length	5000
Copper Foil Weight	3
Cut Points	8.33
LEDs Per Metre	120
Cable Both Ends	0
Cable Sheath Material	PVC
PCB Type	3OZ WHITE FPC, OSP
Product Weight	120

Ultra LEDs have taken reasonable care to ensure that the information in this datasheet is accurate at time of publication however it should be noted that all specifications are subject to tolerance. Descriptive specifications such as colour are subjective. Ultra LEDs reserve the right to update specifications without notice. The information in the datasheet may only be relied on by customers of Ultra LEDs in accordance with applicable terms and conditions

Product Dimensions	5000x8x2 mm

Dimensions



Input

Input Current Type	DC

Control

Dimmable	Yes
Dimming Type	PWM

Electrical Data

Max · Run Length	5
Wattage Max · @1 Metre	9.6

Photometric Data

Beam Angle	120
Bin Number	1

Ultra LEDs have taken reasonable care to ensure that the information in this datasheet is accurate at time of publication however it should be noted that all specifications are subject to tolerance. Descriptive specifications such as colour are subjective. Ultra LEDs reserve the right to update specifications without notice. The information in the datasheet may only be relied on by customers of Ultra LEDs in accordance with applicable terms and conditions

Colour Type	Single Colour
CRI	80
Lumens Per Metre	1171.2
Lumens Per Watt	122
SDCM	5

Environment

Ingress Protection (IP)	20
Interior or Exterior Use	INTERIOR

Efficiency

Energy Efficiency Class	F

Packaging & Shipping

End Caps Included	No
Fixings Included	No

Ultra LEDs have taken reasonable care to ensure that the information in this datasheet is accurate at time of publication however it should be noted that all specifications are subject to tolerance. Descriptive specifications such as colour are subjective. Ultra LEDs reserve the right to update specifications without notice. The information in the datasheet may only be relied on by customers of Ultra LEDs in accordance with applicable terms and conditions