Tagra | Professional LED Strip Light | 60 LEDs p/m | 24V | IP67 | 19.2Wp/m | RGB+2700K | 5M Reel

TP24-RGB27K-60-5M-IP



Key Features

Product width: 14- **Lm/m (up to):** 1075.2 Lm/m- **Lm/W (up to):** 56 Lm/W- **CRI:** 80± **Lightsource SDCM:** ≤5- **Run length (max):** 5 m- **Available colours:** 2700K, 3000K, 4000K, 6000K- **Warranty:** 5 Years



Mechanical Data

Body Colour	White
Bend Direction	Vertical
Cable Length	500 mm
Cut Points	100 mm
LEDs Per Metre	60
Product Weight	460 g
Cable core count	5
Product Dimensions	5000x14x5 mm

Ultra LEDs have taken reasonable care to ensure that the information in this datasheet is accurate at time of publication however it should be noted that all specifications are subject to tolerance. Descriptive specifications such as colour are subjective. Ultra LEDs reserve the right to update specifications without notice. The information in the datasheet may only be relied on by customers of Ultra LEDs in accordance with applicable terms and conditions

Dimensions



Input

Input Current Type	DC

Control

Dimmable	Yes

Electrical Data

Max · Run Length	5 m
Wattage Max · @1 Metre	19.2 W

Photometric Data

Beam Angle	120 °
Bin Number	1
Colour Type	RGBW
CRI	80

Ultra LEDs have taken reasonable care to ensure that the information in this datasheet is accurate at time of publication however it should be noted that all specifications are subject to tolerance. Descriptive specifications such as colour are subjective. Ultra LEDs reserve the right to update specifications without notice. The information in the datasheet may only be relied on by customers of Ultra LEDs in accordance with applicable terms and conditions

Lumen Total	5115 Lm
Lumens Per Watt	53 Lm/W
SDCM	< 5
Lumens Per Metre	1017.6 Lm/m

Environment

Ingress Protection (IP)	IP67
Interior or Exterior Use	EXTERIOR

Efficiency

Energy Efficiency Class	G

Packaging & Shipping

Battery Included	No
Volume	968968 ml

Ultra LEDs have taken reasonable care to ensure that the information in this datasheet is accurate at time of publication however it should be noted that all specifications are subject to tolerance. Descriptive specifications such as colour are subjective. Ultra LEDs reserve the right to update specifications without notice. The information in the datasheet may only be relied on by customers of Ultra LEDs in accordance with applicable terms and conditions