Tagra | Professional LED Strip Light | 140 LEDs p/m | 24V | IP65 | 19.2Wp/m | 2700K-6000K | 50M Reel

TP24-276K-140-50M-90-IP



Key Features

2700K to 6000K CCT Tuneable

24V

19.2 Watts p/m

Up to 1710 Lumens p/m

- 90 CRI

10mm Width

IP65 Nano Technology

5 Year Warranty


100mm Cut Points

Mechanical Data

Body Colour	White
Bend Direction	Vertical
Cable core count	3
Cable Length	500
Cut Points	100
LEDs Per Metre	140
Product Weight	1433
Product Dimensions	50000x12x2 mm

Ultra LEDs have taken reasonable care to ensure that the information in this datasheet is accurate at time of publication however it should be noted that all specifications are subject to tolerance. Descriptive specifications such as colour are subjective. Ultra LEDs reserve the right to update specifications without notice. The information in the datasheet may only be relied on by customers of Ultra LEDs in accordance with applicable terms and conditions

Dimensions



Input

Input Current Type	DC

Control

Dimmable	Yes

Electrical Data

Max · Run Length	5
Wattage Max · @1 Metre	19.2

Photometric Data

Beam Angle	120
Bin Number	1
Colour Type	CCT Tunable White
CRI	90

Ultra LEDs have taken reasonable care to ensure that the information in this datasheet is accurate at time of publication however it should be noted that all specifications are subject to tolerance. Descriptive specifications such as colour are subjective. Ultra LEDs reserve the right to update specifications without notice. The information in the datasheet may only be relied on by customers of Ultra LEDs in accordance with applicable terms and conditions

Lumens Per Metre	1574.4
Lumens Per Watt	82
SDCM	2
Lumen Total	78750

Environment

Ingress Protection (IP)	65
Interior or Exterior Use	EXTERIOR

Efficiency

Energy Efficiency Class	F

Packaging & Shipping

Battery Included	No
Glue Included	No
Volume	0

Ultra LEDs have taken reasonable care to ensure that the information in this datasheet is accurate at time of publication however it should be noted that all specifications are subject to tolerance. Descriptive specifications such as colour are subjective. Ultra LEDs reserve the right to update specifications without notice. The information in the datasheet may only be relied on by customers of Ultra LEDs in accordance with applicable terms and conditions