Tagra | Super Bright LED Strip Light | 240 LEDs p/m | 24V | IP65 | 22Wp/m | 2700K | 5M Reel

PB24-27K-240-5M-80-IP



Key Features

Product width: 10 mm- **Lm/m (up to)**: 2992 Lm/m- **Lm/W (up to)**: 136 Lm/W- **CRI**: 80± **Lightsource SDCM**: ≤2- **Run length (max)**: 5 m- **Available Colours**: 2700K, 3000K, 4000K, 6000K- **Warranty**: 5 Years

Mechanical Data

Bend Direction	Vertical
Body Colour	White
Cable core count	2
Cable Length	500
Cut Points	33.33
LEDs Per Metre	240
Product Weight	130
Product Dimensions	5000x10x2 mm

Ultra LEDs have taken reasonable care to ensure that the information in this datasheet is accurate at time of publication however it should be noted that all specifications are subject to tolerance. Descriptive specifications such as colour are subjective. Ultra LEDs reserve the right to update specifications without notice. The information in the datasheet may only be relied on by customers of Ultra LEDs in accordance with applicable terms and conditions

Dimensions



Input

Input Current Type	DC

Control

Dimmable	Yes

Electrical Data

Max · Run Length	5
Wattage Max · @1 Metre	22

Photometric Data

Beam Angle	120
Bin Number	1
Colour Type	Single Colour
CRI	80

Ultra LEDs have taken reasonable care to ensure that the information in this datasheet is accurate at time of publication however it should be noted that all specifications are subject to tolerance. Descriptive specifications such as colour are subjective. Ultra LEDs reserve the right to update specifications without notice. The information in the datasheet may only be relied on by customers of Ultra LEDs in accordance with applicable terms and conditions

Lumen Total	13401.5
Lumens Per Metre	2684
Lumens Per Watt	122
SDCM	2

Environment

Ingress Protection (IP)	65
Interior or Exterior Use	EXTERIOR

Efficiency

Energy Efficiency Class	E

Packaging & Shipping

Battery Included	No
Glue Included	No
Volume	968968

Ultra LEDs have taken reasonable care to ensure that the information in this datasheet is accurate at time of publication however it should be noted that all specifications are subject to tolerance. Descriptive specifications such as colour are subjective. Ultra LEDs reserve the right to update specifications without notice. The information in the datasheet may only be relied on by customers of Ultra LEDs in accordance with applicable terms and conditions