Tagra | Super Bright LED Strip Light | 240 LEDs p/m | 24V | IP65 | 22Wp/m | 3000K | 5M Reel

PB24-3K-240-5M-80-IP



Key Features

Up to 3000 Lumens Per Metre

IP65 Nano

10mm Width

5 Year Warranty

33.33mm Cut Points

3oz PCB Weight

Available in 2700K, 3000K, 4000K & 6000K

Available in 50 Metres (2700K)

Mechanical Data

Bend Direction	Vertical
Body Colour	White
Cable core count	2
Cable Length	500
Cut Points	33.33
LEDs Per Metre	240
Product Weight	130
Product Dimensions	5000x10x2 mm

Ultra LEDs have taken reasonable care to ensure that the information in this datasheet is accurate at time of publication however it should be noted that all specifications are subject to tolerance. Descriptive specifications such as colour are subjective. Ultra LEDs reserve the right to update specifications without notice. The information in the datasheet may only be relied on by customers of Ultra LEDs in accordance with applicable terms and conditions

Dimensions



Input

Input Current Type	DC

Control

Dimmable	Yes

Electrical Data

Max · Run Length	5
Wattage Max · @1 Metre	22

Photometric Data

Beam Angle	120
Bin Number	1
Colour Type	Single Colour
CRI	80

Ultra LEDs have taken reasonable care to ensure that the information in this datasheet is accurate at time of publication however it should be noted that all specifications are subject to tolerance. Descriptive specifications such as colour are subjective. Ultra LEDs reserve the right to update specifications without notice. The information in the datasheet may only be relied on by customers of Ultra LEDs in accordance with applicable terms and conditions

Lumen Total	14112
Lumens Per Metre	2816
Lumens Per Watt	128
SDCM	2

Environment

Ingress Protection (IP)	65
Interior or Exterior Use	EXTERIOR

Efficiency

Energy Efficiency Class	D

Packaging & Shipping

Battery Included	No
Glue Included	No
Volume	968968

Ultra LEDs have taken reasonable care to ensure that the information in this datasheet is accurate at time of publication however it should be noted that all specifications are subject to tolerance. Descriptive specifications such as colour are subjective. Ultra LEDs reserve the right to update specifications without notice. The information in the datasheet may only be relied on by customers of Ultra LEDs in accordance with applicable terms and conditions