Tagra | Professional COB LED Strip Light | 544 LEDs p/m | 24V | IP20 | 11.2Wp/m | 6500K | 5M Reel

PC24-65K-5M-90



Key Features

Product width: 8 mm- **Lm/m (up to)**: 996.8 Lm/m- **Lm/W (up to)**: 89 Lm/W- **CRI**: 90± **Lightsource SDCM**: ≤3- **Run length (max)**: 5 m- **Available Colours**: 2700K, 3000K, 4000K, 6500K- **Warranty**: 7 Years



Mechanical Data

Body Colour	White
Bend Direction	Vertical
Cable Length	500
Copper Foil Weight	2
Cut Points	29.41
LEDs Per Metre	544
Product Weight	85
Cable core count	2
Product Dimensions	5000x8x2 mm

Ultra LEDs have taken reasonable care to ensure that the information in this datasheet is accurate at time of publication however it should be noted that all specifications are subject to tolerance. Descriptive specifications such as colour are subjective. Ultra LEDs reserve the right to update specifications without notice. The information in the datasheet may only be relied on by customers of Ultra LEDs in accordance with applicable terms and conditions

Dimensions



Input

Input Current Type	DC

Control

Dimmable	Yes

Electrical Data

Wattage Max · @1 Metre	11.2
Max · Run Length	5

Photometric Data

Beam Angle	140
Bin Number	1
Colour Type	Single Colour
CRI	90

Ultra LEDs have taken reasonable care to ensure that the information in this datasheet is accurate at time of publication however it should be noted that all specifications are subject to tolerance. Descriptive specifications such as colour are subjective. Ultra LEDs reserve the right to update specifications without notice. The information in the datasheet may only be relied on by customers of Ultra LEDs in accordance with applicable terms and conditions

Lumen Total	5000
Lumens Per Watt	89
SDCM	3
Lumens Per Metre	996.8

Environment

Ingress Protection (IP)	20
Interior or Exterior Use	INTERIOR

Efficiency

Energy Efficiency Class	F

Packaging & Shipping

Battery Included	No
Volume	968968
Glue Included	No

Ultra LEDs have taken reasonable care to ensure that the information in this datasheet is accurate at time of publication however it should be noted that all specifications are subject to tolerance. Descriptive specifications such as colour are subjective. Ultra LEDs reserve the right to update specifications without notice. The information in the datasheet may only be relied on by customers of Ultra LEDs in accordance with applicable terms and conditions